L Number	Hits	Search Text	DB	Time stamp
-,	2	5022070.URPN.	USPAT	2003/09/29
_	2	4653085.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	19:26 2003/09/29 17:35
-	42	4653085.URPN.	IBM_TDB USPAT	2003/09/30 16:03
-	590	adjunct near2 processor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/29 18:40
_	464	(adjunct near2 processor) and interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/29 18:41
_	300	<pre>(adjunct near2 processor) and (interface with (connect\$5 or link\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/29 18:41
_	280	<pre>((adjunct near2 processor) and (interface with (connect\$5 or link\$1))) and (switch\$3 with (connect\$5 or link\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 18:42
	114	<pre>(((adjunct near2 processor) and (interface with (connect\$5 or link\$1))) and (switch\$3 with (connect\$5 or link\$1))) and ((transmit\$5 or transmi\$5) near3 message\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/29 18:44
_	114	<pre>((((adjunct near2 processor) and   (interface with (connect\$5 or link\$1))) and (switch\$3 with (connect\$5 or   link\$1))) and ((transmit\$5 or transmi\$5) near3 message\$1)) and (data)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/29 18:44
-	67	<pre>((((adjunct near2 processor) and   (interface with (connect\$5 or link\$1))) and (switch\$3 with (connect\$5 or   link\$1))) and ((transmit\$5 or transmi\$5) near3 message\$1)) and (data near2 message\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 18:48
-	35		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 20:06
-	34		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 18:52
-	1	5022070.PN.	USPAT	2003/09/29 19:26
-	1	"4606044".PN.	USPAT	2003/09/29 19:26
_	43	4606044.URPN.	USPAT	2003/09/29 19:26

		·		
_	20	4606044.URPN. and ('VMS' or 'voice mail system' or 'voice mail' or mail or storage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 19:49
-	15	(4606044.URPN. and ('VMS' or 'voice mail system' or 'voice mail' or mail or storage)) and interface	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/02
-	42	<pre>(((((adjunct near2 processor) and (interface with (connect\$5 or link\$1))) and (switch\$3 with (connect\$5 or link\$1))) and ((transmit\$5 or transmi\$5) near3 message\$1)) and (data near2 message\$1)) and ('VMS' or 'voice mail system' or 'voice mail' or 'message system')</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 20:32
-	7	((((((adjunct near2 processor) and (interface with (connect\$5 or link\$1))) and (switch\$3 with (connect\$5 or link\$1))) and (switch\$3 with (connect\$5 or link\$1)) and ((transmit\$5 or transmi\$5) near3 message\$1)) and (data near2 message\$1)) and ('VMS' or 'voice mail system' or 'voice mail' or 'message system')) not (((((adjunct near2 processor) and (interface with (connect\$5 or link\$1))) and (switch\$3 with (connect\$5 or link\$1))) and ((transmit\$5 or transmi\$5) near3 message\$1)) and (data near2 message\$1)) and ('VMS' or 'voice mail system' or 'voice mail'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 20:19
_	2	5659604.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 20:32
	59397	interface with switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30
-	613	<pre>(interface with switch\$3) and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/29 20:33
_	453	<pre>((interface with switch\$3) and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))) and (interface with (connector\$1 or connection\$1 or link\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/29 20:34
	353	<pre>(((interface with switch\$3) and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))) and (interface with (connector\$1 or connection\$1 or link\$1))) and (data with (connector\$1 or connection\$1 or link\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 20:35
-	198	<pre>((((interface with switch\$3) and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))) and (interface with (connector\$1 or connection\$1 or link\$1))) and (data with (connector\$1 or connection\$1 or link\$1))) and ('data links')</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 20:35

_	62	<pre>(((((interface with switch\$3) and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))) and (interface with (connector\$1 or connection\$1 or link\$1))) and (data with (connector\$1 or connection\$1 or link\$1))) and ('data links')) and ('data links' with interface)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:04
-	53	<pre>(((((((interface with switch\$3) and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))) and (interface with (connector\$1 or connection\$1 or link\$1))) and (data with (connector\$1 or connection\$1 or link\$1))) and ('data links')) and ('data links' with interface)) and (data near2 message\$1)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/29 20:38
	41	<pre>(((((((interface with switch\$3) and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))) and (interface with (connector\$1 or connection\$1 or link\$1))) and (data with (connector\$1 or connection\$1 or link\$1))) and ('data links')) and ('data links' with interface)) and (data near2 message\$1)) not (((((adjunct near2 processor) and (interface with (connect\$5 or link\$1))) and (switch\$3 with (connect\$5 or link\$1))) and ((transmit\$5 or transmi\$5) near3 message\$1)) and (data near2 message\$1)) and ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 11:42
-	2	4,488,004.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/29 20:55
-	851	379/229.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 16:03
-	15	379/229.ccls. and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30
-	15	(379/229.ccls. and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))) and data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 16:14
-	333	379/32.01, 32.04.ccls. and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/02 10:36
-	996	379/32.01, 32.02, 32.03, 32.04.ccls. and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 16:14
_	611	(379/32.01, 32.02, 32.03, 32.04.ccls. and (interface with ('VMS' or 'voice mail system' or 'voice mail' or 'message system'))) and (data or 'data message')	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/30 16:15

-	62	((379/32.01, 32.02, 32.03, 32.04.ccls.	USPAT;	2003/10/02
		and (interface with ('VMS' or 'voice mail	US-PGPUB;	10:31
		system' or 'voice mail' or 'message	EPO; JPO;	
		<pre>system'))) and (data or 'data message')) and (interface with switch\$3)</pre>	DERWENT; IBM TDB	
_	2	5027358.pn.	USPAT;	2003/10/02
		3027330.pii.	US-PGPUB;	10:51
			EPO; JPO;	10.01
			DERWENT;	
'			IBM TDB	
-	1518	(data near2 link\$1) with (down or	USPAT;	2003/10/02
		fail\$5)	US-PGPUB;	11:02
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/10/00
-	19	(	USPAT;	2003/10/02
		fail\$5)) and (interface with ('VMS' or 'voice mail system' or 'voice mail' or	US-PGPUB; EPO; JPO;	11:03
		'message system'))	DERWENT;	
		message system //	IBM TDB	
-	2	4,873,718.pn.	USPAT;	2003/10/02
	]		US-PGPUB;	10:55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	2	5,029,199.pn.	USPAT;	2003/10/02
			US-PGPUB;	10:56
			EPO; JPO;	
			DERWENT;	
_	767	   (data near2 link\$1)   with fail\$5	IBM_TDB USPAT;	2003/10/02
	/ / /	(data neal2 linkyl) with lally3	US-PGPUB;	11:02
			EPO; JPO;	11.02
			DERWENT;	
			IBM TDB	
-	69	((data near2 link\$1) with fail\$5) same	USPAT;	2003/10/02
		(backup or recovery)	US-PGPUB;	15:37
			EPO; JPO;	
			DERWENT;	
	6	///data many limbell with failes and	IBM_TDB	2002/10/02
-	0	(((data near2 link\$1) with fail\$5) same (backup or recovery)) and (interface same	USPAT; US-PGPUB;	2003/10/02
		('VMS' or 'voice mail system' or 'voice	EPO; JPO;	12.11
		mail' or 'message system'))	DERWENT;	
		,	IBM TDB	
-	0	'protocol stack algorithm\$1'	USPAT;	2003/10/02
		-	US-PGPUB;	12:11
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000 (10 (00
-	1	'protocol stack algorithm'	USPAT;	2003/10/02
		·	US-PGPUB;	12:15
			EPO; JPO;	
			DERWENT; IBM TDB	
_	5075	'protocol stack'	USPAT;	2003/10/02
			US-PGPUB;	12:29
			EPO; JPO;	
			DERWENT;	
1			IBM TDB	
-	5	'protocol stack' near2 algorithm	USPAT;	2003/10/02
			US-PGPUB;	12:16
1			EPO; JPO;	
	1		DERWENT;	
_		0511122 KDDN	IBM_TDB	2002/10/02
-	0	9511123.URPN.	USPAT	2003/10/02
	I		L	1 14:43

-	3	, , parade and , , , , , , , , , , , , , , , , , , ,	USPAT;	2003/10/02
		with (validat\$3 with data))	US-PGPUB;	15:38
			EPO; JPO;	
			DERWENT;	:
			IBM TDB	
-	331	(split\$4 near3 data) with (subset\$1 or	USPĀT;	2003/10/02
		element\$1)	US-PGPUB;	15:39
l			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	7	((split\$4 near3 data) with (subset\$1 or	USPĀT;	2003/10/02
		element\$1)) and ('data message')	US-PGPUB;	12:35
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	9	714/4.ccls. and (((data near2 link\$1)	USPAT;	2003/10/02
	_	with fail\$5) same (backup or recovery))	US-PGPUB;	15:37
	1		EPO; JPO;	12000
			DERWENT;	
			IBM TDB	
l -	1	709/227.ccls. and ('protocol stack' with	USPAT;	2003/10/02
		(validat\$3 with data))	US-PGPUB;	15:38
	1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	EPO; JPO;	20.00
	1		DERWENT;	
			IBM TDB	
-	2	370/252.ccls. and ((split\$4 near3 data)	USPAT;	2003/10/02
		with (subset\$1 or element\$1))	US-PGPUB;	16:06
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	12	((4606044.URPN. and ('VMS' or 'voice mail	USPAT;	2003/10/02
		system' or 'voice mail' or mail or	US-PGPUB;	15:41
-		storage)) and interface) and error	EPO; JPO;	
1			DERWENT;	
-			IBM TDB	
_	2	(370/252.ccls. and ((split\$4 near3 data)	USPAT;	2003/10/02
		with (subset\$1 or element\$1))) and	US-PGPUB;	16:06
		combin\$5	EPO; JPO;	- 3.33
i			DERWENT;	
			IBM TDB	
L		L	1 + 011_1 0 0	1 .